

APRIL 27-28TH, 2013

WordCamp
MINNEAPOLIS
- 2013 -

MCTC | DOWNTOWN MPLS

The Power Of Custom Types

John Havlik (@mtekkmonkey)

About Me

- WordPress user since 2005
- Plugin Developer since 2006
 - Breadcrumb NavXT (~875k downloads)
- Admin for weblogs.us
- Personal site: mtekk.us

Agenda

- Motivation
- CPTs
- Taxonomies
- CPTs vs Taxonomies vs Meta vs Others
- Showcase

The Problem

- Creating a site with a portfolio
 - Using categories to separate portfolio projects from news/blog posts
 - End up using “hidden” categories and other hacks
- Everything breaks (plugins in particular)

The solution

USE A CUSTOM POST TYPE

APRIL 27-28TH, 2013

WordCamp
MINNEAPOLIS
- 2013 -

MCTC | DOWNTOWN MPLS

What's a CPT?

- Custom Post Types (CPTs) are content types you define
- Come in 2 flavors
 - Hierarchical
 - Flat

Who's Using CPTs?

- bbPress 2.0+
- Meteor Slides
- WP e-Commerce (GetShopped)
- Many more

APRIL 27-28TH, 2013

WordCamp
MINNEAPOLIS
- 2013 -

MCTC | DOWNTOWN MPLS

How to Create a CPT

- Use `register_post_type($post_type, $args);`
 - `$post_type` is the unique post type name
 - `$args` is the array of arguments to customize the CPT
- Call using a hook into the init action
- Do this in a plugin
 - `functions.php` is not portable between themes

Example Code

```
add_action('init','create_my_project');
function create_my_project()
{
    register_post_type('mtekk_project',
        array(
            'labels' =>
                array(
                    'name' => __('Projects'),
                    'singular_name' => __('Project')
                ),
            'public' => true,
            'has_archive' => true)
        );
}
```

- Dashboard
- Posts
- Media
- Links
- Pages
- Comments 2
- No Taxonomy
- Hierchy
- Runs
- Projects
 - Projects
 - Add New
- Appearance
- Plugins 9
- Users
- Tools
- Settings
- Collapse menu

Add New Post

Enter title here

Upload/Insert

Visual HTML

Rich text editor toolbar containing icons for Bold (B), Italic (I), Underline (U), Paragraph (p), Bulleted List, Numbered List, Decrease Indent, Increase Indent, Link, Unlink, Table, ABC, Undo, Redo, and Help.

Main text input area for the post content.

Path: p
Word count: 0

Publish

Save Draft Preview

Status: Draft [Edit](#)

Visibility: Public [Edit](#)

[Publish immediately](#) [Edit](#)

[Move to Trash](#) [Publish](#)



Naming Your CPT

- Make it unique
 - **BAD**: project
 - **GOOD**: mtekk_project
- Max length of 20 characters
- NO:
 - s p a c e s
 - UPPERCASE
 - wp_ prefix

The \$args

- Key attributes to investigate:
 - labels – array of labels for the CPT
 - show_ui
 - capabilities – array of permissions
 - supports – array of features in the edit page
 - rewrite – array of rewrite arguments
 - hierarchical
- Checkout the Codex for more info:
http://codex.wordpress.org/Function_Reference/register_post_type

More Complex Example

```
//Our lecture labels
$labels = array(
    'name' => __('Lectures', 'wp_courseware'),
    'singular_name' => __('Lecture', 'wp_courseware'),
    'add_new' => __('Add New', 'wp_courseware'),
    'add_new_item' => __('Add New Lecture', 'wp_courseware'),
    'edit_item' => __('Edit Lecture', 'wp_courseware'),
    'new_item' => __('New Lecture', 'wp_courseware'),
    'view_item' => __('View Lecture', 'wp_courseware'),
    'search_items' => __('Search Lectures', 'wp_courseware'),
    'not_found' => __('No lectures found', 'wp_courseware'),
    'not_found_in_trash' => __('No lectures found in Trash', 'wp_courseware'),
    'parent_item_colon' => '',
    'menu_name' => __('Lectures', 'wp_courseware')
);

//Our lecture capabilities
$capabilities = array(
    'edit_post' => 'wptc_edit_lecture',
    'edit_posts' => 'wptc_edit_lectures',
    'edit_others_posts' => 'wptc_edit_others_lectures',
    'publish_posts' => 'wptc_publish_lectures',
    'read_post' => 'wptc_read_lecture',
    'read_private_posts' => 'wptc_read_private_lectures',
    'delete_post' => 'wptc_delete_lecture'
);

//Assemble our post type arguments, keeping capabilities default until later
$args = array(
    'labels' => $labels,
    'public' => true,
    'publicly_queryable' => false,
    'exclude_from_search' => true,
    'show_ui' => true,
    'show_in_menu' => false,
    'menu_icon' => plugins_url('/lecture-icon-20x20.png', __FILE__),
    'capability_type' => 'lecture',
    'capabilities' => $capabilities,
    'map_meta_cap' => true,
    'hierarchical' => false,
    'supports' => array('title', 'page-attributes'),
    'taxonomies' => array('course'),
    'has_archive' => false,
    'rewrite' => false,
    'query_var' => true,
    'can_export' => true,
    'show_in_nav_menus' => false
);
register_post_type('lecture', $args);
```

- Dashboard
- Posts
- Media
- Links
- Pages
- Comments
- Appearance
- Plugins 3
- Users
- Tools
- Settings
- Courses
- Collapse menu

Edit Lecture [Add New](#)

How to Peel a Head of Garlic

Lecture Video



<http://vimeo.com/29605182>

Followup Remarks

Visual HTML

B I U “ **ABC** [List icons] [Undo] [Redo] [Link] [Image]

Remember:

1. Don't use forehead to smash head of garlic.

Screen Options ▾

Publish

[Preview Changes](#)

Status: **Published** [Edit](#)

Visibility: **Public** [Edit](#)

Published on: **Mar 25, 2012 @ 18:21** [Edit](#)

[Move to Trash](#) [Update](#)

Courses

All Courses **Most Used**

- Cooking Basics
- Advanced Cooking
- Off-Sale
- On-Sale


[+ Add New Course](#)

Attributes

Order

An Easier Way

- Custom Post Type UI
 - <http://wordpress.org/extend/plugins/custom-post-type-ui>

 Create New Custom Post Type or Taxonomy · [Reset](#)

If you are unfamiliar with the options below only fill out the **Post Type Name** and **Label** fields and check which meta boxes to support. The other settings are set to the most common defaults for custom post types.

If you are unfamiliar with the options below only fill out the **Taxonomy Name** and **Post Type Name** fields. The other settings are set to the most common defaults for custom taxonomies.

Post Type Name * <input type="text"/> ? (e.g. movies) Max 20 characters, can not contain capital letters or spaces	Taxonomy Name * <input type="text"/> ? (e.g. actors)
Label <input type="text"/> ? (e.g. Movies)	Label <input type="text"/> ? (e.g. Actors)
Singular Label <input type="text"/> ? (e.g. Movie)	Singular Label <input type="text"/> ? (e.g. Actor)
Description <input type="text"/>	Attach to Post Type * <input type="checkbox"/> Posts <input type="checkbox"/> Pages <input type="checkbox"/> Classes <input type="checkbox"/> Thoughts <input type="checkbox"/> Forums <input type="checkbox"/> Topics <input type="checkbox"/> Replies <input type="checkbox"/> Slides <input type="checkbox"/> Lectures <input type="checkbox"/> Questions

[Advanced Label Options](#) · [Advanced Options](#)

[Advanced Label Options](#) · [Advanced Options](#)

[Create Custom Post Type](#)

[Create Custom Taxonomy](#)

APRIL 27-28TH, 2013

WordCamp
MINNEAPOLIS
- 2013 -

MCTC | DOWNTOWN MPLS

Displaying CPTs

- Templates for the frontend:
 - single-`{posttype}.php` (since 3.0)
 - archive-`{posttype}.php` (since 3.1)
- Custom `WP_Query` instance:
 - `$projects = new WP_Query(array('post_type' => 'mtekk_project', 'posts_per_page' => 10));`
 - `while($projects->have_posts){$projects->the_post(); /*your code here*/}`
 - Can use this anywhere
 - Can use `get_posts()` wrapper for `WP_Query`

Organize all the things with
TAXONOMIES

APRIL 27-28TH, 2013

WordCamp
MINNEAPOLIS
- 2013 -

MCTC | DOWNTOWN MPLS

What's a Taxonomy?

- Taxonomies are a way to classify/organize content (post) types.
- Come in 2 flavors
 - Hierarchical
 - Flat

How to Create a Taxonomy

- Use `register_taxonomy($taxonomy, $object_type, $args);`
 - `$taxonomy` is the unique taxonomy name
 - `$object_type` array of post types that this taxonomy can be used on
 - `$args` is the array of arguments to customize the taxonomy
- Checkout the Codex for info on `$args`
http://codex.wordpress.org/Function_Reference/register_taxonomy
- Call using a hook into the init action
- Do this in a plugin
 - `functions.php` is not portable between themes

Example Code

```
add_action('init','create_my_medium');
function create_my_medium()
{
    register_taxonomy('mtekk_medium',
        array('mtekk_project'),
        array(
            'labels' =>
            array(
                'name' => __('Mediums'),
                'singular_name' => __('Medium')
            ),
            'public' => true)
);
}
```

Naming Your Taxonomy

- Make it unique
 - **BAD**: medium
 - **GOOD**: mtekk_medium
- Max length of 32 characters
- NO:
 - s p a c e s
 - UPPERCASE
 - wp_ prefix

Don't Custom Post Type all the things

CPTS VS TAXONOMIES VS META VS OTHERS

APRIL 27-28TH, 2013

WordCamp
MINNEAPOLIS
- 2013 -

MCTC | DOWNTOWN MPLS

When to Use a CPT

- When for anything “post” or “page” like
 - Most things that would have required a custom table in the past
 - Products for a ecommerce site
 - Events for event calendars
- When you want WordPress to do most of the heavy lifting
 - Attachments, featured images, Dashboard UI, templates, etc.

When to Use a Taxonomy

- When you need to logically organize a collection of posts (of same or mixed type)
 - Mediums for projects in a portfolio

APRIL 27-28TH, 2013

WordCamp
MINNEAPOLIS
- 2013 -

MCTC | DOWNTOWN MPLS

When to Use Postmeta

- When you need to add extra information to a post
 - Project completion date for a portfolio project
- When you need to sort by that information

DEMO

APRIL 27-28TH, 2013

WordCamp
MINNEAPOLIS
- 2013 -

MCTC | DOWNTOWN MPLS

Questions?

Find me on Twitter @mtekkmonkey

APRIL 27-28TH, 2013

WordCamp
MINNEAPOLIS
- 2013 -

MCTC | DOWNTOWN MPLS

Resources

- <http://kovshenin.com/2010/extending-custom-post-types-in-wordpress-3-0/>
- http://codex.wordpress.org/Function_Reference/register_post_type
- http://codex.wordpress.org/Post_Types
- <http://ottopress.com/2011/when-to-not-use-a-custom-taxonomy/>
- http://codex.wordpress.org/Function_Reference/register_taxonomy
- <http://codex.wordpress.org/Taxonomies>