

The Power of Custom Post Types

John Havlik (@mtekkmonkey)

About Me

- ▶ WordPress user since 2005
- ▶ Plugin developer since 2006
 - Breadcrumb NavXT (~600k downloads)
- ▶ Administrator for Weblogs.us
- ▶ WordPress expert for Ingroup Design
- ▶ Personal site: mtekk.us

Agenda

- ▶ Motivation
- ▶ Basic Usage
- ▶ (More) Advanced Usage
- ▶ CPT Showcase (Demos)
 - bbPress
 - WP E-Commerce
 - Meteor Slides

A Problem

- ▶ Creating a site with a portfolio
 - Must keep projects separate from a news section
 - Try categories
 - Resort to “hidden” categories to keep things straight
- ▶ This doesn’t work well with plugins

Use a Custom Post Type

» (and some custom taxonomies)

What is a CPT?

- ▶ Custom Post Types (CPTs) are post types you define.
 - Posts, pages, attachments, custom menus are types WordPress defines
- ▶ Come in 2 flavors
 - Hierarchical
 - Flat

Plugins that use CPTs

- ▶ bbPress 2.0+
- ▶ WP e-Commerce 3.8+ (GetShopped)
- ▶ Meteor Slides

How to Create a CPT

- ▶ Use `register_post_type($post_type, $args);`
 - `$post_type` is the unique post type string (20 char max, no uppercase or spaces)
 - `$args` is the array of arguments to customize the CPT
- ▶ Call using a hook into the `init` action
- ▶ Do this in a plugin
 - `functions.php` is not portable between themes

Example Code

```
add_action('init', 'create_my_project');
function create_my_project()
{
    register_post_type('project',
        array(
            'labels' =>
            array(
                'name' => __('Projects'),
                'singular_name' => __('Project')
            ),
            'public' => true,
            'has_archive' => true)
    );
}
```



- [Dashboard](#)
- [Posts](#)
- [Media](#)
- [Links](#)
- [Pages](#)
- [Comments 2](#)
- [No Taxonomy](#)
- [Hierarchy](#)
- [Runs](#)
- [Projects](#)
 - [Projects](#)
 - [Add New](#)
- [Appearance](#)
- [Plugins 9](#)
- [Users](#)
- [Tools](#)
- [Settings](#)

Collapse menu

Add New Post

Enter title here

Upload/Insert

Visual



Paragraph

U

A

T

W

Q

Ω

Text

Image

Table

Text

Naming Your CPT

- ▶ Make it unique
 - **BAD:** projects
 - **GOOD:** mtekk_projects
- ▶ Max length of 20 characters
- ▶ No:
 - spaces
 - UPPERCASE
 - wp_ prefix

The \$args

- ▶ Key attributes to look at:
 - labels – array of labels
 - show_ui
 - capabilities – array of permissions
 - supports – array of features
 - rewrite – array of rewrite related stuff
 - hierarchical
- ▶ Checkout the Codex for more:
http://codex.wordpress.org/Function_Reference/register_post_type

More Complex Example

```
//Our lecture labels
$labels = array(
    'name' => __('Lectures', 'wp_courseware'),
    'singular_name' => __('Lecture', 'wp_courseware'),
    'add_new' => __('Add New', 'wp_courseware'),
    'add_new_item' => __('Add New Lecture', 'wp_courseware'),
    'edit_item' => __('Edit Lecture', 'wp_courseware'),
    'new_item' => __('New Lecture', 'wp_courseware'),
    'view_item' => __('View Lecture', 'wp_courseware'),
    'search_items' => __('Search Lectures', 'wp_courseware'),
    'not_found' => __('No lectures found', 'wp_courseware'),
    'not_found_in_trash' => __('No lectures found in Trash', 'wp_courseware'),
    'parent_item_colon' => '',
    'menu_name' => __('Lectures', 'wp_courseware')
);
//Our lecture capabilities
$capabilities = array(
    'edit_post' => 'wptc_edit_lecture',
    'edit_posts' => 'wptc_edit_lectures',
    'edit_others_posts' => 'wptc_edit_others_lectures',
    'publish_posts' => 'wptc_publish_lectures',
    'read_post' => 'wptc_read_lecture',
    'read_private_posts' => 'wptc_read_private_lectures',
    'delete_post' => 'wptc_delete_lecture'
);
//Assemble our post type arguments, keeping capabilities default until later
$args = array(
    'labels' => $labels,
    'public' => true,
    'publicly_queryable' => false,
    'exclude_from_search' => true,
    'show_ui' => true,
    'show_in_menu' => false,
    'menu_icon' => plugins_url('/lecture-icon-20x20.png', __FILE__),
    'capability_type' => 'lecture',
    'capabilities' => $capabilities,
    'map_meta_cap' => true,
    'hierarchical' => false,
    'supports' => array('title', 'page-attributes'),
    'taxonomies' => array('course'),
    'has_archive' => false,
    'rewrite' => false,
    'query_var' => true,
    'can_export' => true,
    'show_in_nav_menus' => false
);
register_post_type('lecture', $args);
```

Dashboard

Posts

Media

Links

Pages

Comments

Appearance

Plugins 3

Users

Tools

Settings

Courses

Collapse menu

Edit Lecture [Add New](#)

How to Peel a Head of Garlic

Lecture Video



<http://vimeo.com/29605182>

Followup Remarks



Remember:

1. Don't use forehead to smash head of garlic

Publish

[Preview Changes](#)Status: Published [Edit](#)Visibility: Public [Edit](#)Published on: Mar 25, 2012 @ 18:21 [Edit](#)[Move to Trash](#)[Update](#)

Courses

[All Courses](#) [Most Used](#)

- Cooking Basics
- Advanced Cooking
- Off-Sale
- On-Sale

[+ Add New Course](#)

Attributes

Order

0

An Easier Way

▶ Custom Post Type UI

- <http://wordpress.org/extend/plugins/custom-post-type-ui/>

Create New Custom Post Type or Taxonomy · [Reset](#)

If you are unfamiliar with the options below only fill out the **Post Type Name** and **Label** fields and check which meta boxes to support. The other settings are set to the most common defaults for custom post types.

Post Type Name * ? (e.g. movies)

Label ? (e.g. Movies)

Singular Label ? (e.g. Movie)

Description

[Advanced Label Options](#) · [Advanced Options](#)

[Create Custom Post Type](#)

If you are unfamiliar with the options below only fill out the **Taxonomy Name** and **Post Type Name** fields. The other settings are set to the most common defaults for custom taxonomies.

Taxonomy Name * ? (e.g. actors)

Label ? (e.g. Actors)

Singular Label ? (e.g. Actor)

Attach to Post Type *

- Posts
- Pages
- No Taxonomy
- Hierarchy
- Runs
- Projects

[Advanced Label Options](#) · [Advanced Options](#)

[Create Custom Taxonomy](#)

Demo

- » An advanced use of CPTs and custom taxonomies

Displaying CPTs

- ▶ Templates for the frontend:
 - single-{posttype}.php (since 3.0)
 - archive-{posttype}.php (since 3.1)
- ▶ Custom WP_Query instance:
 - `$projects = new WP_Query(array('post_type' => 'project', 'posts_per_page' => 10));`
 - `while($projects->have_posts()){ $projects->the_post(); /*your code here*/ }`
 - Can do this anywhere
 - Can use `get_posts()` wrapper for WP_Query

When to Use a CPT

- ▶ When for anything “post” or “page” like
- ▶ Most things that would have required a custom table in the past
 - Products for a ecommerce site
 - Events for event calendars
- ▶ When you want WordPress to do most of the heavy lifting
 - Attachments, featured images, Dashboard UI, templates, etc.

Questions?

Twitter: @mtekkmonkey

Resources

<http://kovshenin.com/2010/extending-custom-post-types-in-wordpress-3-0/>

http://codex.wordpress.org/Function_Reference/register_post_type

http://codex.wordpress.org/Post_Types